

# Richmond Fire-Rescue Fire Prevention Branch - Fire Safety Plan Guidelines

These are the guidelines for all buildings requiring a Fire Safety Plan in the City of Richmond. The Fire Safety Plan shall meet the **Emergency Planning requirements, current BC Fire Code and local regulations.** The Fire Safety Plan shall be "SITE and BUILDING SPECIFIC". All unrelated information shall be removed from templates.

### **GENERAL GUIDELINES:**

#### Fire Safety Plan Binder shall:

- be a standard 8.5" x 11" three ring binder, red in colour
- have the wording "FIRE SAFETY PLAN" on the front and spine of the binder
- have the building address displayed in large font on the front of the binder
- include a cover page with the name and address and coloured photo of the building
- upon review and acceptance Richmond Fire-Rescue will issue a letter or an email of acceptance; this letter / email shall be placed in the front of the Fire Safety Plan Binder

#### Text shall be:

- all pages shall be single sided
- headings; font size will be a minimum of 14 point throughout the plan
- text; font size will be a minimum 12 point throughout the plan
- site plans, floor plans, reports and checklists must be single sided

#### LAYOUT:

**Table of Contents** 

Fire Department Information

Site Plan Drawings

Floor Plan Drawings

Part 1 – Objectives of the Fire Safety Plan

Part 2 – Supervisory Staff

Part 3 – Instructions to Occupants

Part 4 – Inspection, Testing and Maintenance of Fire Protection Equipment

Part 5 - Reports and Checklists

Part 6 – Legal Basis for Fire Safety Planning

Part 7 – Definitions

Appendix – Alternative Solutions (New Construction) Any special information pertaining the building, Hot Works etc.

4259597 Page1 of 5

**TABS:** 

Table of Contents: red background with black lettering

Fire Dept. Information: white background with black lettering

Site Plan Drawings: red background with black lettering

Floor Plan Drawings: red background with black lettering

Part One: red background with black lettering

Part Two: red background with black lettering

Part Three: red background with black lettering

Part Four: red background with black lettering

Part Five: red background with black lettering


Part Six: red background with black lettering

Part Seven: red background with black lettering


Appendix: white background with black lettering

4259597 Page2 of 5

**Site Plan:** All drawings shall be 11 X 17 inch coloured drawings in landscape format.



**Floor Plans:** All drawings shall be 11 X 17 inch coloured drawings in landscape format.



4259597 Page3 of 5

#### **DRAWING SYMBOLS:**

Only site specific symbols shall be located on the drawings and contained within the legend.

Below are the Richmond Fire-Rescue symbols that can be used for site plans and floor plan layouts. You can download the entire collection of symbols in three formats:

- 1. JPEG (ZIP file)
- 2. TIFF (ZIP file)
- 3. DWG





























ROOF HATCH

























































4259597 Page4 of 5

## CONTENT REQUIREMENTS OF FIRE SAFETY PLAN - SHALL BE SITE/BUILDING SPECIFIC

#### FIRE DEPARTMENT INFORMATION:

Appointment of the Supervisory Staff:

**Emergency Contacts:** 

Building Description: Year of construction, type of construction, occupancy

Fire Alarm Description / Location: Operating instructions, reset instructions, paging/ fire phones, fire zones, shall be included in this section. Coloured photograph required.

Fire Alarm Monitoring: Company name and contact information.

Electrical Disconnect Location:

Elevators: FD: Operating instructions shall be included in this section.

Emergency Generator: Describe what equipment the generator supplies power to and include operating instructions.

Coloured photograph required.

Emergency Lighting: Type and power source

Exiting: All stairways shall be numbered or designated by Numeric, Alphabetical and or by the compass direction.

Fire Department Access Routes: Primary / Secondary.

Fire Department Connection: Describe what the FDC services. Coloured photograph required.

Fire Department Lock Box Description / Location: Coloured photograph required.

Fire Pump: Size, GPM, Operating Instructions. Coloured photograph required.

Fire Department Roof Access: Give location and type, door / hatch. Coloured photograph required.

Fire Hydrant Locations: Public/ Private.

Gas Shut-Off Location: Coloured photograph required.

Hazards: All hazards shall be identified. If the hazard has a UN # the UN # shall be included with the hazard. Coloured

photograph required.

Smoke Control: Describe smoke control measures.

Sprinkler System Description / Location: Coloured photograph required.

Standpipe and Hose System Description / Location: Coloured photograph required.

Water Shut-Off Location: Coloured photograph required.

Site Plan: All drawings shall be 11 X 17 inch coloured drawings in landscape format.

Floor Plans: All drawings shall be 11 X 17 inch coloured drawings in landscape format.

Part 1 – Objectives of the Fire Safety Plan: As per BC Fire Code Division B, Part 2, Section 2.8, meet requirements

of the BC Fire Code and any applicable local regulations.

Part 2 – Supervisory Staff Designation: Shall be site specific.

Part 3 – Instructions to Occupants: Shall be site specific.

Part 4 – Inspection, Testing and Maintenance of Fire Protection Equipment: Shall be site specific.

Part 5 - Checklists and Annual Inspection, Testing, Maintenance Reports: Shall be site specific.

Part 6 – Legal Basis for Fire Safety Planning: As per BC Fire Code Division C, Part 2, Section 2.2. It is the owner or

owner's authorized agent who is responsible to carry out the provisions of the BC Fire Code.

Part 7 – Definitions: Shall be site specific.

*Example:* Supervisory staff means those occupants of a building who have some delegated responsibility for the fire safety of other occupants under the fire safety plan.

APPENDIX - Alternative solutions (new construction) any special information pertaining to the building and site.

4259597 Page5 of 5